

Revision: 10.09.2008

Printing date 10.09.2008

1 Identification of the substance/preparation and of the company/undertaking

· Product details

· Trade name: KEIM Porosil-Leichtputz

· Application of the substance / the preparation Ready-mixed mortar

· Manufacturer/Supplier:

KEIM MINERAL COATINGS OF AMERICA, INC.

10615 Texland Blvd. #600

Charlotte, NC 28273

Telefon: +1 (704) 588-4811 Telefax: +1 (704) 588-4991

· Further information obtainable from:

Product safety department, Mrs. Popescu

Telefon: +49(0)821/4802-138

E-Mail: minodora.popescu@keimfarben.de

Information in case of emergency:

GBK Gefahrgut Büro GmbH

Emergency number: +49(0)6132/84463

2 Hazards identification

· Hazard description:

Xi Irritant

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 38 Irritating to skin.

R 41 Risk of serious damage to eyes.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· Additional information:

This Product contains cement. Cement produces an alkaline reaction with moisture or water. Avoid contact with eyes and prolonged skin contact.

3 Composition/information on ingredients

- · Chemical characterization
- · **Description:** Mixture of substances listed below with nonhazardous additions.

| · Dangerous components: | | | |
|--------------------------------------|---------------------------------------|-------------|---------|
| CAS: 65997-15-1 EINECS: 266-043-4 | · · · · · · · · · · · · · · · · · · · | Xi; R 38-41 | 10-25% |
| CAS: 1305-62-0 EINECS: 215-137-3 | , | Xi; R 38-41 | 2.5-10% |

· Additional information: For the wording of the listed risk phrases refer to section 16.

(Contd. on page 2)



Printing date 10.09.2008 Revision: 10.09.2008

Trade name: KEIM Porosil-Leichtputz

(Contd. of page 1)

4 First aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

5 Fire-fighting measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Protective equipment: No special measures required.

6 Accidental release measures

· Person-related safety precautions:

Avoid contact with skin and eyes.

Avoid formation of dust.

· Measures for environmental protection:

Do not allow to enter sewers/ surface or ground water.

· Measures for cleaning/collecting: Pick up mechanically.

7 Handling and storage

- · Handling:
- · Information for safe handling:

Store in cool, dry place in tightly closed receptacles.

Prevent formation of dust.

Provide suction extractors if dust is formed.

See item 8 for information about suitable protective equipment and technical precautions. Respect the protection rules.

- Information about fire and explosion protection: No special measures required.
- Storage:
- · Requirements to be met by storerooms and receptacles:

Keep in the original containers in a cool and dry place.

· Information about storage in one common storage facility:

Do not store together with acids.

- · Further information about storage conditions: None.
- · Storage class: 13

(Contd. on page 3)



Printing date 10.09.2008 Revision: 10.09.2008

Trade name: KEIM Porosil-Leichtputz

(Contd. of page 2)

8 Exposure controls/personal protection

· Additional information about design of technical facilities:

No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

65997-15-1 Cement, chemicals

WEL Long-term value: 10* 4** mg/m³

1305-62-0 calcium dihydroxide

WEL Long-term value: 5 mg/m³

- Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale dust / smoke / mist.

- · Respiratory protection: In a dusty environment wear suitable facemask.
- Protection of hands: Protective gloves
- · Material of gloves

suitable material e.g.:

Nitrile impregnated cotton-gloves

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Tightly sealed goggles • Body protection: Protective work clothing

9 Physical and chemical properties

| · General Information | |
|------------------------------------|---|
| Form: | Powder |
| Colour: | Grey |
| Odour: | Characteristic |
| Change in condition | |
| Melting point/Melting range: | |
| Boiling point/Boiling range: | Undetermined. |
| · Flash point: | Not applicable. |
| · Self-igniting: | Product is not selfigniting. |
| · Danger of explosion: | Product does not present an explosion hazard. |
| · Density at 20°C: | 1.0 - 1.15 * g/cm³ (Schüttgewicht) |
| · Solubility in / Miscibility with | |
| water: | Fully miscible. |

(Contd. on page 4)



Printing date 10.09.2008 Revision: 10.09.2008

Trade name: KEIM Porosil-Leichtputz

(Contd. of page 3)

pH-value at 20°C: 11.5 - 13
 Additional information: * The values are for freshly produced material and may change with the time.

10 Stability and reactivity

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· Materials to be avoided: Acids

· Dangerous reactions No dangerous reactions known.

Dangerous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Acute toxicity:
- · LD/LC50 values relevant for classification:

1305-62-0 calcium dihydroxide

Oral LD50 7340 mg/kg (rat)

- Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- · during inhalation: Irritating to respiratory system.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

12 Ecological information

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 5)



Printing date 10.09.2008 Revision: 10.09.2008

Trade name: KEIM Porosil-Leichtputz

(Contd. of page 4)

13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

European waste catalogue

17 01 01 concrete

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -
- · Transport/Additional information:

No dangerous good in sense of these transport regulations.

15 Regulatory information

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:

Xi Irritant

· Risk phrases:

38 Irritating to skin.

41 Risk of serious damage to eyes.

- · Safety phrases:
- 2 Keep out of the reach of children.
- 22 Do not breathe dust.
- 24/25 Avoid contact with skin and eyes.
- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 37/39 Wear suitable gloves and eye/face protection.

(Contd. on page 6)



Printing date 10.09.2008 Revision: 10.09.2008

Trade name: KEIM Porosil-Leichtputz

(Contd. of page 5)

46 If swallowed, seek medical advice immediately and show this container or label.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Relevant R-phrases
- 38 Irritating to skin.
- 41 Risk of serious damage to eyes.
- · Department issuing MSDS: Product safety department
- · Contact: Mrs. Popescu