

KEIM Design-Lasur

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: KEIM Design-Lasur

CHEMICAL FAMILY: Liquid solution of alkali silicate, silica sol, fillers

and additives.

PRODUCT USE: Glaze/coating concentrate and mineral stain.

MANUFACTURER:

KEIM Mineral Coatings of America, Inc.

10615 Texland Boulevard, #600

Charlotte, NC 28273 Phone: 1 704-588-4811

Emergency Phone: only in US and Canada

1 800 535 5053 (INFOTRAC)

2. HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS: (Also see section 11)

EMERGENCY OVERVIEW:

Not expected to cause any harmful effects when used as directed.

ROUTES OF ENTRY: Skin and eye contact and inhalation.

Appearance: Various colored liquids, odorless.

CARCINOGENICITY:

NTP: No, IARC: No, OSHA: No

Although this material is not considered hazardous by the OSHA Hazard Communication Standard. (29CFR1910.1200) proper personal hygiene practices are recommended in the workplace.

HMIS:

Health: 1 Flammability: 0 Reactivity: 0



KEIM Design-Lasur

3. COMPOSITION/ INFORMATION ON INGREDIENTS

Non-hazardous ingredients under 29 CFR 1910.1200

4. FIRST AID MEASURES:

GENERAL: In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

SKIN: Immediately remove all contaminated clothing. Wash away with soap and water and rinse. DO NOT use solvents or thinners.

EYES: Remove contact lenses, keep eyelids open. Flush for several minutes under running water. Then consult a doctor.

INGESTION: Rinse mouth and throat well with water. Do not induce vomiting. Contact a doctor immediately.

INHALATION: Take the casualty into fresh air and keep warm. Consult a doctor in case of complaints.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Product is not flammable. Use extinguishing agent suitable for surrounding fire.

SPECIAL FIRE FIGHTING PROCEDURES: None

6. ACCIDENTAL RELEASE MEASURES:

SPILL AND LEAK PROCEDURES: Provide for adequate ventilation. Avoid contact with skin and eyes. Absorb with liquid binding material (sand, diatomaceous earth, acid binders, universal binders, sawdust) and place in container for disposal according to local regulations (see Section 13).

7. HANDLING AND STORAGE

STORAGE: Always store in original containers tightly closed in a cool, dry and well ventilated area. Do not store together with acids. Protect from freezing. Protect from heat and direct sunlight.

Material Safety Data Sheet (ANSI Z400.1-2004) Version 1.2 (US) Issued: May 16, 2010



KEIM Design-Lasur

HANDLING: Avoid contact with skin and eyes. Prevent the formation of aerosols. Do not inhale vapors.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE LIMITS:

| Component | CAS# | Exposure Limits |
|-----------|------------|--|
| Mica | 12001-26-2 | 3 mg/m ³ (respirable) TWA ACGIH |

ENGINEERING CONTROLS: Use in a well ventilated area. Ensure that the local exhaust ventilation maintains the concentrations below the occupational exposure limits.

RESPIRATORY PROTECTION: Not necessary if room is well-ventilated. Wear appropriate NIOSH approved respirators when aerosol or mist is formed or whenever workplace conditions warrant respirator use.

SKIN PROTECTION: Avoid skin contact by wearing suitable work clothing and gloves.

EYE PROTECTION: Eye protection suitable for working with liquids.

9. PHYSICAL AND CHEMICAL PROPERTIES

| Form liquid | Property | Value |
|--|---|--|
| Odor odorless Flashpoint Not applicable | Form Color Odor Flashpoint Melting point Boiling point Self-igniting Danger of explosion Vapor pressure at 20°C (68°F) Density at 20°C (68°F) | liquid Different colors odorless Not applicable ~0°C (32°F ~100°C (212°F) (1013 hPa) Not self igniting Not an explosion hazard 23 hPA 1.3* g/cm3 |
| Boiling point ~100°C (212°F) (1013 hPa) Self-igniting Not self igniting Danger of explosion Not an explosion hazard Vapor pressure at 20°C (68°F) 23 hPA | Solubility in Water pH at 20°C (68°F) | miscible <11.4* |
| 0 1 | Self-igniting | Not self igniting |
| · | Melting point Boiling point Self-igniting Danger of explosion Vapor pressure at 20°C (68°F) | ~0°C (32°F ~100°C (212°F) (1013 hPa) Not self igniting Not an explosion hazard 23 hPA |
| | | • |
| · · | Property | Value |

^{*} The values are for freshly produced material and may change with time

10. STABILITY AND REACTIVITY

Material Safety Data Sheet (ANSI Z400.1-2004) Version 1.2 (US) Issued: May 16, 2010



KEIM Design-Lasur

CHEMICAL STABILITY: Stable under recommended storage and handling conditions (See Section 7).

HAZARDOUS DECOMPOSITION PRODUCTS: None

POLYMERIZATION: Will not occur.

INCOMPATIBILITIES: Keep away from acids.

11. TOXICOLOGICAL INFORMATION

Although ACGIH and OSHA exposure limits are established for certain ingredients (see section 8), this product is sold as a liquid and, when used as intended, does not generate dust. Thus the product as such does not pose a hazard resulting from respiration of dust or particulates.

Product is alkaline.

Skin irritation: Frequent persistent contact with the skin may cause skin irritation,

Eye irritation: In case of longer exposure, irritating effect is possible.

Ingestion: Irritant effect is possible.

Sensitization: No sensitizing effects are known.

12. ECOLOGICAL INFORMATION

There are no eco-toxicological assessments.

Avoid contamination of ground water or waterways. Do not discharge into surface waters or drains. The release of large volumes into drains or the aquatic environment may lead to increased pH values. A high pH values harms aquatic organisms.

13. <u>DISPOSAL CONSIDERATIONS</u>

Contaminated packaging must be emptied of all residues and following appropriate cleaning, may be sent to a recycling plant. Unclean packages must be disposed of in accordance with Federal, State or Local regulations.

14. TRANSPORT INFORMATION

DOT SHIPPING NAME: Not regulated.

15. REGULATORY INFORMATION

All components of this product are on the TSCA Inventory.

Material Safety Data Sheet (ANSI Z400.1-2004) Version 1.2 (US) Issued: May 16, 2010



KEIM Design-Lasur

SARA Title III:

This product contains no toxic chemicals which are subject to the supplier notification requirements of Section 313 of the Superfund Amendments and Reauthorization Act (SARA/EPCRA) and the requirements of 40 CFR Part 372.

Note: Entries under this section cover only those regulations typically addressed in the MSDS generating process, such as, TSCA, and EPCRA/SARA Title III.

16. OTHER INFORMATION

HAZCOM LABEL: No warning label required

This MSDS conforms to the American National Standard, ANSI Z400.1-2004. To the best of our knowledge, the information contained in this MSDS is accurate. It is intended to assist the user in his evaluation of the product's hazards, and safety precautions to be taken in its use. The data on this MSDS relate only to the specific material designated herein. We do not assume any liability for the use of, or reliance on this information, nor do we guarantee its accuracy or completeness.

Version 1.2 (US): May 16, 2010

KEIM Design-Lasur_USmsds(v1.2).doc